

PEST CONTROL SERVICE
PEST CONTROL SERVICES ADVICE LEAFLET NO. 1
RODENTICIDE POISONING
ADVICE FOR RODENT CONTROL

THIS PRODUCT IS AN ANTICOAGULANT

You are advised that this rodenticide is approved for use in domestic premises, eg., houses and flats, under the control of Pesticides Regulations 1986. However, your cooperation is requested in adopting the following precautions to further minimise any risks to occupants and pets.

PRECAUTIONS
AVOID ALL CONTACT BY MOUTH
DO NOT LET CHILDREN OR PETS, PARTICULARLY
DOGS, have access to the bait.
IN CASE OF ACCIDENT, contact a doctor or
veterinarian and show this leaflet

The nearest hospitals with casualty departments are:-

Seaford Area:

EASTBOURNE DISTRICT GENERAL
HOSPITAL
Kings Drive Eastbourne Tel:01323 417400

Remainder of District:

ROYAL SUSSEX COUNTY HOSPITAL
Eastern Road Brighton Tel: 01273 696955

NOTE TO PHYSICIAN: If you think that bait has been eaten:

The product is an indirect anticoagulant; Vitamin K1 (phytomenadione) is antidotal. In cases of suspected consumption of bait, determine prothrombin times not less than 18 hours after such consumption. If elevation has occurred, administer Vitamin K1 intravenously in divided doses: 40mg for adults, 20mg for children, daily. Treatment may be required for a prolonged period. Withdraw antidote with care and monitor prothrombin times continuously for four days or more after such withdrawal.

Telephone us at 01273 471600 as soon as possible.

POISON LAID AT THESE PREMISES

| | | |
|---------------------------------|-------------------|--|
| WARFARIN | 0.05% | |
| DIFENACOUM + CHOLECALCIFEROL | 0.0025% 0.075% | |
| DIFENACOUM | 0.005% | |
| FLOCOUMAFEN | 0.005% | |
| BRODIFACOUM | 0.002% | |
| DIPHACINONE | 0.005% | |
| BROMADIOLONE | 0.005% | |

RATS
Advice regarding Control of Rats

1. The purpose of this leaflet is to inform you of steps you can take to prevent infestation and action you can take to stop rodents coming back.

Rodents are attracted by a food source and by good housekeeping, householders can minimise the attractiveness of their properties for rodents. It is important that harbourage is not provided such as under sheds, compost heaps, accumulated material, etc. Additional care must be taken to avoid providing food for pests such as excessive food for birds, domestic animal feed, compost, etc. If food for domestic animals is provided, it should be kept in proper storage containers.

2. On discovering an infestation contact Lewes District Pest Control service as soon as possible on 01273 471600. Do not attempt to clear up the suspected nest or area of infestation as this will merely move the rats not eradicate them.
3. Following treatment, practise good housekeeping as outlined above. The Pest Control Officer will advise regarding what proofing works he may consider necessary to prevent reinfestation.
4. Be vigilant to ensure that no further rats move into the area treated.

MICE
Advice Regarding Control of Mice

1. (as 1. above)
2. Mice are widely found and are very inquisitive adaptable animals. Therefore, most premises can be said to be at risk from infestation at some time or other. It is important not to provide obvious encouragement to attract mice to your premises and generally speaking good housekeeping will assist in this.
3. It is important that as soon as you become aware of a mouse on your premises that the problem is dealt with.
4. Initially, if it is a single animal you may be successful in eliminating the problem with a mousetrap which can be obtained from any good chemist or garden store.
5. If you are unable to deal with, or the problem persists or grows, contact Lewes District Pest control Service on 01273 471600.
6. Following treatment, practice good housekeeping as mentioned above. The Pest Control Officer will advise regarding works he may consider necessary to prevent infestation.